

Toxicological Profile for Lead

August 2020



LEAD i

DISCLAIMER

Use of trade names is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry, the Public Health Service, or the U.S. Department of Health and Human Services.

LEAD ii

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a relevance to public health discussion which would allow a public health professional to make a real-time determination of whether the presence of a particular substance in the environment poses a potential threat to human health. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to the protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance due to associated acute, intermediate, and chronic exposures;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, intermediate, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Patrick N. Breysse, Ph.D., CIH

PaheleuBnagse

Director, National Center for Environmental Health and Agency for Toxic Substances and Disease Registry Centers for Disease Control and Prevention LEAD in

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List (NPL) and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the NPL, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

LEAD v

VERSION HISTORY

Date	Description
August 2020	Final toxicological profile released
May 2019	Draft for public comment toxicological profile released
August 2007	Final toxicological profile released
April 1993	Final toxicological profile released

LEAD vi

CONTRIBUTORS & REVIEWERS

CHEMICAL MANAGER TEAM

Henry Abadin, M.S.P.H. (Lead) Jessilynn Taylor, M.S., CDR USPHS Melanie Buser, M.P.H. Franco Scinicariello, M.D., M.P.H. Jennifer Przybyla, Ph.D. Julie M. Klotzbach, Ph.D. Gary L. Diamond, Ph.D. Mario Citra, Ph.D. Lara L. Chappell, Ph.D. Laura A. McIlroy, B.A.

ATSDR, Division of Toxicology and Human Health Sciences, Atlanta, GA

SRC, Inc., North Syracuse, NY

REVIEWERS

Interagency Minimal Risk Level Workgroup:

Includes ATSDR; National Center for Environmental Health (NCEH); National Institute for Occupational Safety and Health (NIOSH); U.S. Environmental Protection Agency (EPA); National Toxicology Program (NTP).

Additional reviews for science and/or policy:

ATSDR, Division of Community Health Investigations; ATSDR, Office of Science; NCEH, Division of Laboratory Science; NCEH, Division of Environmental Health Science and Practice; Occupational Safety and Health Administration (OSHA); Department of Defense (DoD); EPA; NIOSH.

PEER REVIEWERS

- 1. Howard Hu, M.D., M.P.H., Sc.D., Department of Environmental Health Sciences, University of Michigan School of Public Health, Ann Arbor, Michigan
- 2. Anthony Knafla, M.Sc., DABT, P. Biol., Founder/Senior Scientist & Manager, Equilibrium Environmental Inc., Calgary, Canada
- 3. Nelly Mañay, Ph.D., Professor, Department of Toxicology and Environmental Hygiene, Faculty of Chemistry, University of the Republic of Uruguay, Montevideo, Uruguay

These experts collectively have knowledge of toxicology, chemistry, and/or health effects. All reviewers were selected in conformity with Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

ATSDR scientists review peer reviewers' comments and determine whether changes will be made to the profile based on comments. The peer reviewers' comments and responses to these comments are part of the administrative record for this compound.

The listing of peer reviewers should not be understood to imply their approval of the profile's final content. The responsibility for the content of this profile lies with ATSDR.

CONTENTS

DISCLAIMER	ii
FOREWORD	iii
VERSION HISTORY	V
CONTRIBUTORS & REVIEWERS	vi
CONTENTS	Vi
LIST OF FIGURES	
LIST OF TABLES	
CHAPTER 1. RELEVANCE TO PUBLIC HEALTH	
1.2 SUMMARY OF HEALTH EFFECTS	
1.3 MINIMAL RISK LEVELS (MRLs)	
CHAPTER 2. HEALTH EFFECTS	
2.1 INTRODUCTION	
2.2 ACUTE LEAD TOXICITY	
2.3 DEATH	
2.4 BODY WEIGHT	
2.5 RESPIRATORY	33
2.6 CARDIOVASCULAR	
2.7 GASTROINTESTINAL	
2.8 HEMATOLOGICAL	
2.9 MUSCULOSKELETAL 2.10 HEPATIC	
2.10 HEPATIC 2.11 RENAL	
2.12 DERMAL	
2.13 OCULAR	
2.14 ENDOCRINE	
2.15 IMMUNOLOGICAL	
2.16 NEUROLOGICAL	
2.17 REPRODUCTIVE	
2.18 DEVELOPMENTAL	
2.19 CANCER	
2.20 GENOTOXICITY	
2.21 GENERAL CELLULAR MECHANISMS OF ACTI 2.21.1 Perturbation of Ion Homeostasis	
2.21.1 Protein Binding/Sequestration	
2.21.3 Oxidative Stress	
2.21.4 Inflammation	
2.21.5 Epigenetic Effects	
2.21.6 Apoptosis	
CHAPTER 3. TOXICOKINETICS, SUSCEPTIBLE POPUL.	ATIONS, BIOMARKERS, CHEMICAL
INTERACTIONS	
3.1 TOXICOKINETICS	
3.1.1 Absorption	
3.1.2 Distribution	289

3.1.3 Metabolism	298
3.1.4 Excretion	
3.1.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	302
3.2 CHILDREN AND OTHER POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE.	321
3.3 BIOMARKERS OF EXPOSURE AND EFFECT	326
3.3.1 Biomarkers of Exposure	
3.3.2 Biomarkers of Effect	
3.4 INTERACTIONS WITH OTHER CHEMICALS	
3.5 METHODS FOR REDUCING TOXIC EFFECTS	
3.5.1 Reducing Absorption Following Exposure	
3.5.2 Reducing Body Burden	342
CHAPTER 4. CHEMICAL AND PHYSICAL INFORMATION	345
4.1 CHEMICAL IDENTITY	
4.2 PHYSICAL AND CHEMICAL PROPERTIES	
CHAPTER 5. POTENTIAL FOR HUMAN EXPOSURE	255
5.1 OVERVIEW	
5.2 PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	
5.2.1 Production	
5.2.2 Import/Export	
5.2.3 Use	
5.2.4 Disposal	
5.3 RELEASES TO THE ENVIRONMENT	
5.3.1 Air	
5.3.2 Water	
5.3.3 Soil	
5.3.4 Paint	
5.4 ENVIRONMENTAL FATE	
5.4.1 Transport and Partitioning	
5.4.2 Transformation and Degradation	
5.5 LEVELS IN THE ENVIRONMENT	
5.5.1 Air	395
5.5.2 Water	398
5.5.3 Sediment and Soil	401
5.5.4 Paint	403
5.5.5 Other Media	404
5.6 GENERAL POPULATION EXPOSURE	
5.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	428
CHAPTER 6. ADEQUACY OF THE DATABASE	430
6.1 INFORMATION ON HEALTH EFFECTS	
6.2 IDENTIFICATION OF DATA NEEDS	
6.3 ONGOING STUDIES	
CHAPTER 7. REGULATIONS AND GUIDELINES	437
	437 442
CHAPTER 8. REFERENCES	442

LEAD ix

APPENDICES	
APPENDIX A. ATSDR MINIMAL RISK LEVEL WORKSHEETS	A-1
APPENDIX B. LITERATURE SEARCH FRAMEWORK FOR LEAD	B-1
APPENDIX C. INGESTION OF LEAD DEBRIS	C-1
APPENDIX D. QUICK REFERENCE FOR HEALTH CARE PROVIDERS	D-1
APPENDIX E. GLOSSARY	E-1
APPENDIX F. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	F-1

LEAD

LIST OF FIGURES

2-1.	Overview of the Number of Studies Examining Associations Between PbB and Health Effects	17
2-2.	Change in the Systolic Pressure Associated with a Doubling of the Blood Lead Concentration (PbB)	46
2-3.	Change in the Diastolic Pressure Associated with a Doubling of the Blood Lead Concentration (PbB)	47
2-4.	Pb Interactions in the Heme Synthesis Pathway	86
2-5.	Multiorgan Impact of Reduction of Heme Body Pool by Lead	87
2-6.	Immunological Pathways by which Pb Exposure Potentially may Increase Risk of Immune-Related Diseases	.132
2-7.	Relationship Between Blood Lead Concentration (PbB) and Birth Weight at PbB \leq 10 μ g/dL	.231
3-1.	Compartments and Pathways of Lead (Pb) Exchange in the O'Flaherty Model	305
3-2.	Structure of the IEUBK Model for Lead (Pb) in Children	.309
3-3.	Compartments and Pathways of Lead (Pb) Exchange in the Leggett Model	.313
3-4.	Blood Lead Concentrations (PbBs) in Children Predicted by the IEUBK, Leggett, and O'Flaherty Models and AALM	.319
3-5.	Blood Lead Concentrations (PbBs) in Adults Predicted by the Leggett and O'Flaherty Models and AALM	.319
5-1.	Number of NPL Sites with Lead Contamination	355
5-2.	Number of NPL Sites with Lead Compound Contamination	356
5-3.	Annual Maximum 3-Month Average Representing the National Trend	.396

LEAD xi

LIST OF TABLES

2-1.	Summary of Epidemiological Studies Evaluating Death	22
2-2.	Summary of Epidemiological Studies Evaluating Effects on Body Weight at Mean Blood Lead Concentrations (PbB) \leq 10 μ g/dL	30
2-3.	Effects on Body Weight Associated with Mean Blood Lead Concentrations (PbBs) ≤10 μg	33
2-4.	Overview of Respiratory Effects in Adults and Children Chronically Exposed to Lead (Pb)	35
2-5.	Summary of Epidemiological Studies Evaluating Respiratory Effects at Mean Blood Lead Concentration (PbB) \leq 10 $\mu g/dL$	36
2-6.	Overview of Cardiovascular Effects in Adults and Children Associated with Chronic Exposure to Lead (Pb)	41
2-7.	Characteristics of the Study Population in Meta-Analyses of Effects of Lead (Pb) on Blood Pressure	43
2-8.	Summary of Epidemiological Studies Evaluating Effects on Blood Pressure at Mean Blood Lead Concentration (PbB) \leq 10 μ g/dL	49
2-9.	Summary of Epidemiological Studies Evaluating Atherosclerosis at Mean Blood Lead Concentration (PbB) \leq 10 $\mu g/dL$	65
2-10	. Summary of Epidemiological Studies Evaluating Heart Disease at Mean Blood Lead Concentration (PbB) ≤10 μg/dL	66
2-11	. Summary of Epidemiological Studies Evaluating Mortality due to Cardiovascular Disease at Mean Blood Lead Concentrations (PbB) ≤10 μg/dL	70
2-12	. Associations Between Bone Pb and Blood Pressure Outcomes	71
2-13	. Associations Between Bone Pb and Cardiac Function, Disease, and Mortality	73
2-14	. Summary of Studies Evaluating Gastrointestinal Symptoms Associated with Chronic Exposure to Lead (Pb)	76
2-15	. Overview of Hematological Effects Associated with Chronic Exposure to Lead (Pb)	79
2-16	. Summary of Epidemiological Studies Evaluating Hematological Effects at Mean Blood Lead Concentration (PbB) ≤10 μg/dL	82
2-17	. Overview of Musculoskeletal Effects Associated with Chronic Exposure to Lead (Pb)	89
2-18	. Summary of Epidemiological Studies Evaluating Musculoskeletal Effects at Mean Blood Lead Concentration (PbB) ≤10 μg/dL	91
2-19	. Summary of Epidemiological Studies Evaluating Hepatic Effects Associated with Blood Lead Concentration (PbB)	98
2-20	. Effects on Liver Function Tests Associated with Chronic Exposure to Lead (Pb)	. 101

LEAD xii

2-21.	Overview of Renal Effect Associated with Chronic Exposure to Lead (Pb)	104
2-22.	Summary of Epidemiological Studies Evaluating Renal Effects at Mean Blood Lead Concentration (PbB) \leq 10 $\mu g/dL$	106
2-23.	Associations Between Bone Pb and Renal Function	115
2-24.	Overview of Endocrine Effects Associated with Chronic Exposure to Lead (Pb)	119
2-25.	Effects on Thyroid Hormones Associated with Blood Lead Concentration (PbB)	119
2-26.	Overview of Immunological Effects Associated with Chronic Exposure to Lead (Pb)	123
2-27.	Summary of Epidemiological Studies Evaluating Immunological Effects at Mean Blood Lead Concentration (PbB) ${\leq}10~\mu\text{g/dL}$	127
2-28.	Overview of Neurological Effects in Children Associated with Chronic Exposure to Lead (Pb)	136
2-29.	Overview of Neurological Effects in Adults Associated with Chronic Exposure to Lead (Pb)	138
2-30.	Summary of Epidemiological Studies Evaluating Neurological Effects in Children at Mean Blood Lead Concentration (PbB) \leq 10 μ g/dL	141
2-31.	Associations Between Bone Pb and Neurological Outcomes in Children	175
2-32.	Summary of Epidemiology Studies Evaluating Neurodevelopmental Effects in Adults at Mean Blood Lead Concentration (PbB) \leq 10 $\mu g/dL$	177
2-33.	Associations Between Bone Pb and Neurological Outcomes in Adults	191
2-34.	Overview of Effects on the Male Reproductive System Associated with Chronic Exposure to Lead (Pb)	203
2-35.	Effects on Reproductive Hormones Associated with Chronic Exposure to Lead (Pb) in Males	204
2-36.	Summary of Epidemiological Studies Evaluating Effects on the Male Reproductive System at Mean Blood Lead Concentration (PbB) ${\leq}10~\mu\text{g/dL}$	206
2-37.	Overview of Effects on the Female Reproductive System and Pregnancy Outcomes Associated with Chronic Exposure to Lead (Pb)	211
2-38.	Summary of Epidemiological Studies Evaluating Effects on the Female Reproductive System at Mean Blood Lead Concentration (PbB) \leq 10 µg/dL	212
2-39.	Overview of Developmental Effects Associated with Chronic Exposure to Lead (Pb)	220
2-40.	Effects on Birth Outcomes at Blood Lead Concentration (PbB) ≤10 µg/dL	221
2-41.	Summary of Epidemiological Studies Evaluating Birth Outcomes Effects of Mean Blood Lead Concentration (PbB) ${\leq}10~\mu\text{g/dL}$	223

LEAD xiii

2-42	. Overview of Decreased Anthropometric Measures in Children at Blood Lead Concentration (PbB) ${\leq}10~\mu\text{g/dL}$	233
2-43	. Summary of Epidemiological Studies Evaluating Anthropometric Measurements in Infants and Children with Mean Blood Lead Concentration (PbB) \leq 10 µg/dL	235
2-44	. Summary of Epidemiological Studies Evaluating the Onset of Puberty at Children with Mean Blood Lead Concentration (PbB) \leq 10 μ g/dL	242
2-45	. Associations Between Maternal Bone Pb and Birth Outcome and Postnatal Growth	246
2-46	. Summary of Epidemiological Studies Evaluating Cancer Endpoints and Blood Lead Concentration (PbB)	250
2-47	. Overview of Epidemiology Studies Evaluating Genotoxicity Associated with Chronic Exposure to Lead (Pb)	258
2-48	. Results of Genotoxicity Studies at Blood Lead Concentration (PbB) ≤10 μg/dL	260
2-49	. Effects of Lead (Pb) on Function of Various Proteins	266
3-1.	Ranking of Relative Bioavailability of Lead (Pb) Mineral Phases in Soil	286
3-2.	Comparison of Slope Factors in Selected Slope Factor Models	320
3-3.	Influence of Other Metals and Metalloids on Lead (Pb) Toxicity	338
3-4.	Recommended Actions Based on Child Blood Lead Level (PbB)	341
3-5.	Recommended Actions for Workers Based on Blood Lead Level (PbB)	342
4-1.	Chemical Identity of Lead and Compounds	345
4-2.	Physical and Chemical Properties of Lead and Compounds	350
5-1.	U.S. Manufacturers of Lead Metal and Selected Lead Compounds	359
5-2.	U.S. Lead Production 2015–2018	362
5-3.	Facilities that Produce, Process, or Use Lead	362
5-4.	Facilities that Produce, Process, or Use Lead Compounds	364
5-5.	Current and Former Uses of Selected Lead Compounds	368
5-6.	Releases to the Environment from Facilities that Produce, Process, or Use Lead	372
5-7.	Releases to the Environment from Facilities that Produce, Process, or Use Lead Compounds	374
5-8.	Historic Levels of Lead Emissions to the Atmosphere in the United States (in Thousand Metric Tons)	376
5-9.	U.S. Surface Water Discharges of Lead and Lead Compounds (Pounds/Year)	378

5-10.	Canada Surface Water Discharges of Lead and Lead Compounds (Tonnes)	379
5-11.	Lowest Limit of Detection Based on Standards	394
5-12.	Lead Levels in Water, Soil, and Air of National Priorities List (NPL) Sites	395
5-13.	Summary Data for Lead Monitors Across the United States, 2008–2010 (µg/m³)	396
5-14.	Percentile Distribution of Mean Lead (TSP) Concentrations (μg/m³) Measured in Ambient Air at Locations Across the United States	397
5-15.	Lead Levels in Foods Commonly Eaten by Toddlers and Infants	404
5-16.	Selected Mean Lead Concentrations in Food from the FDA Total Diet Study	405
5-17.	Estimated Median and Maximum Lead Exposures	407
5-18.	Lead Content in Ayurvedic Medications and Other Health Remedies	408
5-19.	Lowest Limit of Detection Based on Standards	411
5-20.	Geometric Mean Blood Lead Levels (µg/dL) and the 95 th Percentile Confidence Interval, by Race/Ethnicity, Sex, and Age for the Years for 2011–2016	415
5-21.	Geometric Mean Urine Lead Levels ($\mu g/dL$) and the 95th Percentile Confidence Interval, by Race/Ethnicity, Sex, and Age	416
5-22.	Industries by Sector with Most Workers having Blood Lead Concentrations (PbBs) ≥25 μg/dL, 2010–2016	417
5-23.	Number and Rate per 100,000 Children Aged <5 Years with Blood Lead Levels 5–9 µg/dL in the Childhood Blood Lead Surveillance System, United States, 2010–2014	418
5-24.	Geometric Mean Urine Lead Levels (µg/dL) and the 95th Percentile Confidence Interval by Smoking Status	420
5-25.	Measurements of Lead in Indoor Dust in the United States from 2006 to 2011	424
6-1.	Ongoing Studies on Lead (Pb)	435
7-1.	Regulations and Guidelines Applicable to Lead (Pb)	437